		CENTRAL INTELLIGENCE AGE	_11() 1	REPORT NO.	l l
		NFORMATION REF	PORT	D NO.	25X1A
INTRY	Bulgaria			ATE DISTR. /4	Nov 1951
		aritza 3 Thermo-electric Pl	ant and N	O. OF PAGES	4
CE UIRE		antDimittovgrad		O. OF ENCLS.	25X1A
E	L25X1C			UPPLEMENT TO	25X1C
ÜIRE	ED			EPORT NO.	25X1X
E OF	INFORMATION		· .	7 '	
DOCUME	AT CONTAINS INCODUATION AFFECTING	THE MATIONAL PRESSURE			25X1
HE HNIT	NT CONTAINS INFORMATION AFFECTING ED STATES WITHIN THE MEANING OF T ND 32, AS AMENDED. ITS TRANSMISSI NTS IN ANY MANNER TO AN UNAUTHO	THE ESPIONAGE ACT SO	HIS IS UNEVA	LUATED INFORM	
TS CONTE	NTS IN ANY MANNER TO AN UNAUTHO AW. REPRODUCTION OF THIS FORM I	RIZED PERSON IS PRO- IS PROHIBITED.			
				:	
				•	
	Maritza 3				
2.	Maritza 3 "The Thermo-Elect	ric Power Station, Maritza	3 which sum	nlies the ener	egy for the
2.	"The Thermo-Elect	ric Power Station, Maritza	3, which sup	plies the ener	gy for the
2.	"The Thermo-Elect nitro-fertilizer Its first furnace	plants of Dimitrovgrad, has was put in action in the b	become the eginning of	vital nerve of August 1951.	the center Within the
2.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days	plants of Dimitrovgrad, has was put in action in the b full exploitation of the p	become the eginning of a cower station	vital nerve of August 1951. was scheduled	the center Within the to take
2.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days	plants of Dimitrovgrad, has	become the eginning of a cower station	vital nerve of August 1951. was scheduled	the center Within the to take
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is	plants of Dimitrovgrad, has was put in action in the b full exploitation of the p s to produce 150,000 tons o	become the eginning of ower station f dry steam	vital nerve of August 1951. was scheduled (sic) per hour	the center Within the to take
2.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is com	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons oposed of a four-story build	become the eginning of lower station f dry steam ing 100 x 30	vital nerve of August 1951. was scheduled (sic) per hour m. a cooling	the center Within the to take tower
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high:	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi	become the eginning of ower station f dry steam ing 100 x 30 gh chimney 1	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling	the center Within the to take tower 7 m. in
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is com; 60 to 70 m. high: diameter; a three	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and anoth	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 5r building of	the center Within the to take tower 7 m. in the same
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is com; 60 to 70 m. high diameter; a three dimensions. All	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of	become the eginning of ower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes	the center Within the to take tower 7 m. in the same ides the
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is comp 60 to 70 m. high diameter; a three dimensions. All power station proposed in the company of the component of the company of the component of the componen	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced two-story but	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes	the center Within the to take tower 7 m. in the same ides the
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is comp 60 to 70 m. high diameter; a three dimensions. All power station proposed in the company of the component of the company of the component of the componen	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced two-story but	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes	the center Within the to take tower 7 m. in the same ides the
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station proptemporary camp of	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labo	become the eginning of ower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades.	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we	the center Within the to take tower 7 m. in the same ides the ll as a
	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labo	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades.	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we seed wire. On	the center Within the to take tower 7 m. in the same ides the 11 as a
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station property camporary camp of "The whole area of there is a wall with the state of	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by barto the area is	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes aldings, as we have the permitted of the permitted of the spermitted of the	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station property camp of "The whole area of there is a wall with the state of the state	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by obedinence Na Tec Maritza	become the eginning of lower station f dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by barto the area is	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes aldings, as we have the permitted of the permitted of the spermitted of the	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high sidiameter; a three dimensions. All power station property camporary camp of "The whole area of there is a wall wissued by the Struthe building of the	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by obedinence Na Tec Maritza he plant).	become the eginning of lower station of dry steam ing 100 x 30 gh chimney 12 m. and anoth reinforced two-story but r brigades. ounded by bar to the area if 3 (State con	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we have wire. On is permitted outractors entr	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on passusted with
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station property camp of "The whole area of there is a wall wissued by the Struthe building of the "Coal is supplied"	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinence Na Tec Maritza he plant).	become the eginning of ower station of dry steam ing 100 x 30 gh chimney 12 m. and anoth reinforced two-story but r brigades. ounded by bar to the area if 3 (State continuous the desire of the Maritza of the Maritza of the eginning of the eginn of the	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we have wire. On is permitted outractors entr	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on passusted with
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station property camp of "The whole area of there is a wall wissued by the Struthe building of the "Coal is supplied"	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by obedinence Na Tec Maritza	become the eginning of ower station of dry steam ing 100 x 30 gh chimney 12 m. and anoth reinforced two-story but r brigades. ounded by bar to the area if 3 (State continuous the desire of the Maritza of the Maritza of the eginning of the eginn of the	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we have wire. On is permitted outractors entr	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on passusted with
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high diameter; a three dimensions. All power station propertumporary camp of "The whole area of there is a wall wissued by the Struthe building of the "Coal is supplied from the plant. It	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinence Na Tec Maritza he plant).	become the eginning of ower station of dry steam ing 100 x 30 gh chimney 12 m. and anoth reinforced two-story but r brigades. ounded by bar to the area if 3 (State continuous the desire of the Maritza of the Maritza of the eginning of the eginn of the	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we have wire. On is permitted outractors entr	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on passusted with
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high adiameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strethe building of the "Coal is supplied from the plant." ATZ Stalin	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinenye Na Tec Maritza me plant). to the power station from The coal is brought by rail	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced two-story built brigades. ounded by bar to the area in 3 (State continuation of the state of the Maritza of the Maritza of the Maritza of the Maritza of the eigenvalue of the eigenvalue of the maritza of the eigenvalue of the Maritza of the Maritza of the Maritza of the eigenvalue	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we read wire. On is permitted on tractors entrepolar in the situation of the situa	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km
3.	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinenye Na Tec Maritza me plant). to the power station from The coal is brought by rail	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced two-story built brigades. ounded by bar to the area in 3 (State continuation of the state of the Maritza of the Maritza of the Maritza of the Maritza of the eigenvalue of the eigenvalue of the maritza of the eigenvalue of the Maritza of the Maritza of the Maritza of the eigenvalue	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we read wire. On is permitted on tractors entrepolar in the situation of the situa	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is come 60 to 70 m. high adiameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strethe building of the "Coal is supplied from the plant." ATZ Stalin	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinenye Na Tec Maritza me plant). to the power station from The coal is brought by rail	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced two-story built brigades. ounded by bar to the area in 3 (State continuation of the state of the Maritza of the Maritza of the Maritza of the Maritza of the eigenvalue of the eigenvalue of the maritza of the eigenvalue of the Maritza of the Maritza of the Maritza of the eigenvalue	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we read wire. On is permitted on tractors entrepolar in the situation of the situa	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fith two entrances. Access by bedinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another reinforced two-story built brigades. ounded by bar to the area in 3 (State continuous the area in 3 (State continuous the Maritza continuous the maritante	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we read wire. On is permitted on tractors entreposal mine situe ant) is compos	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km. ed of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labof the power station is surrith two entrances. Access by bedinenye Na Tec Maritza me plant). to the power station from The coal is brought by rail	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another reinforced two-story built brigades. ounded by bar to the area in 3 (State continuous the area in 3 (State continuous the Maritza continuous the maritante	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On is permitted on tractors entrepolation of the coal mine situe ant) is composed to all filterical coal filterical according to the coal filterical according to the coal filterical coal filterical according to the coal filterical according to the coal filterical coal fi	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km. ed of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). To the power station from The coal is brought by rail optons of the nitro-fits: (a) Tzeh Obogatizelna Station (b) Type Torov Zavod - The nitro-fits:	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectation of the cool mine situe ant) is composed the cool filteric (purifying situe and several mine situe).	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation)
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fith two entrances. Access by obedinenye Na Tec Maritzane plant). To the power station from The coal is brought by rail operations of the nitro-fits: (a) Tzeh Obogatizelna States	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectations of the coal mine situe ant) is composed to all filteric (purifying sice air plant who	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). To the power station from The coal is brought by rail optons of the nitro-fits: (a) Tzeh Obogatizelna Station (b) Type Torov Zavod - The nitro-fits:	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectation of the cool mine situe ant) is composed the cool filteric (purifying situe and several mine situe).	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a his story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail porton and the power station from The coal is brought by rail to the power station from The coal is brought by Tail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station in the power station is surrity and the power station is	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectation of the coal mine situe and distributed and distrib	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons o posed of a four-story build and 20 m. in diameter, a hi story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). To the power station from The coal is brought by rail optons of the nitro-fits: (a) Tzeh Obogatizelna Station (b) Type Torov Zavod - The nitro-fits:	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectation of the coal mine situe ant) is composed to all filteric (purifying sear plant whe air from the	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a his story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail porton and the power station from The coal is brought by rail to the power station from The coal is brought by Tail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station in the power station is surrity and the power station is	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectations and filteri (purifying stair plant whe air from the and distributarious sections.	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a his story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail porton and the power station from The coal is brought by rail to the power station from The coal is brought by Tail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station in the power station is surrity and the power station is	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectations and filteri (purifying stair plant whe air from the and distributarious sections.	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for 70 m. high diameter; a three dimensions. All power station proptemporary camp of "The whole area of there is a wall wissued by the Strothe building of the "Coal is supplied from the plant." ATZ Stalin ATZ Stalin (Azotho	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a his story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail porton and the power station from The coal is brought by rail to the power station from The coal is brought by Tail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station in the power station is surrity and the power station is	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another einforced of two-story built brigades. ounded by bar to the area in 3 (State continuous control of the maritza of the maritz	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectations and filteri (purifying stair plant whe air from the and distributarious sections.	the center Within the to take tower 7 m. in the same ides the 11 as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the
 4. 5. 	"The Thermo-Elect nitro-fertilizer of the stress of the st	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a history building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout the power station is surrich two entrances. Access by bedinenye Na Tec Maritzane plant). to the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the coal is brought by rail of the power station from the power s	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another reinforced of two-story but reinforced of the Alaritza of the Maritza of the Ma	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Besildings, as we also be wire. On is permitted on tractors entrespectations and is composed to a coal filteri (purifying sear plant where and distributed on the coal plant processes the coal plant processes the coal plant where and distributed on the coal plant where are coal plant where and distributed on the coal plant where and distributed on the coal plant where and distributed on the coal plant where are coal plant where and distributed on the coal plant where and distributed on the coal plant where are coal plant where coal plant where are coal plant where c	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the essing stati
 4. 5. 	"The Thermo-Elect nitro-fertilizer Its first furnace following 10 days place. Maritza is "The plant is composed for the plant is composed for the whole area of there is a wall with saved by the Streethe building of the Marz Stalin (Azotne following branches CLASS	plants of Dimitrovgrad, has was put in action in the b full exploitation of the ps to produce 150,000 tons of posed of a four-story build and 20 m. in diameter, a his story building 50 x 20-25 these buildings are made of per, there are five or six 20 brick barracks for labout fithe power station is surrith two entrances. Access by beddinenye Na Tec Maritzane plant). to the power station from The coal is brought by rail porton and the power station from The coal is brought by rail to the power station from The coal is brought by Tail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station is surrity and the power station from The coal is brought by rail to Tzeh Obogatizelna Station in the power station is surrity and the power station is	become the eginning of over station of dry steam ing 100 x 30 gh chimney 12 m. and another reinforced of two-story but reinforced of the Alaritza of the Maritza of the Ma	vital nerve of August 1951. was scheduled (sic) per hour m., a cooling 25 m. high and 3r building of concrete. Bes ildings, as we read wire. On its permitted on tractors entrespectations and filteri (purifying stair plant whe air from the and distributarious sections.	the center Within the to take tower 7 m. in the same ides the ll as a the south nly on pass usted with ated 4-5 km ed of the ng station tation) ich collects atmosphere tes it over ions of the essing stati

- (d) Destructive distillation of coal department to
 - to extract caustic
- (e) Nitric acid department (with a blueprinted crew of 160 persons)
- (f) Natriev Nitrat department (artificial fertilizer)
- It includes the following technical departments:
 - (a) Mechanical repair department
 - (b) Energoobiedinenie (electro-technical department)
 - (c) Strugari (turnery) department; (girls as well as men are employed in this department.)
 - (d) Casting department
 - (e) cerpentry department

Another thirty or so small sections are connected with these major departments.

- 8. "The ATZ Stalin plant comprises about 40 buildings, mostly of reinforced concrete.
- 9. "An air line is scheduled to link the coal mine Maritza with the plant itself, (not with the Power Station, Maritza 3).
- 10. "Eighty per cent construction work on the plant has been already completed. The Sulphur Processing station has been finished entirely and put in operation. This department was blueprinted to be finished December, 1950. On December 21, 1950, furnaces were put in operation in the department, and it was hailed all over the country that the plan was executed.
 - 11. "The production of this department amounts to 18 to 20 tons of sulpheric acid per day. Pyrite is brought from the pyrite mine of Kardjeli (on the railway line close to the Turkish border). All the production is taken by rail tanks to the military factory at Kazanlyk. This is the biggest explosive factory built just before the war by French.
 - Delivery of Materiel

 "Most of the equipment both for ATZ Stalin and the power station of Maritza 3 has been delivered from the USSR. Only a small part has come from freehoslovakia, Part of the planes for planing machines and emeries for grinding machines were delivered from Czechoslovakia. In June one of the machine transports came 20 days later than scheduled, resulting in the fact that the workmen who were assigned to install these machines remained completely idle. Such delays in deliveries are rather a common feature in today's Bulgaria. All the machines are delivered to a special commission composed of Bulgarians who must check them and record all damages. These reports are further submitted to Soviet experts who sometimes (not always) check these deficiencies.
 - 13. "Most of the machines delivered from the USSR are heavy, rough manufacture not requiring skilled and precise finish. Auxiliary equipment tractors, trucks, cranes have functioned well to date. However, a big electric crane, of the average lifting capacity of 13 tons, was delivered. This crane is standing completely useless and idle. It uses so much electric energy that when it was put in operation it took all the energy from the other installations and still could not lift its load. The experiment was repeated several times, finally the crane was put aside not to be used.
 - 14. MThe total completion of Stalin plant is scheduled for 18 November 1951. It should not be delayed more than 2-3 months.
 - Personnel Procedure

 "Applicants seeking work at Dimitrovgrad have to put their applications through a proper cadre section. The application must be accompanied by a complete biography revealing all professional and political activities. Then the applicant is told to go back home and wait. During this time the cadre writes to the local branch of

SECRET SECURITY INFORMATION

the Dimitrov's Youth Organization and from there gets a full description of the applicant and all his personal and family data (parents, brothers, sisters etc), as well as an opinion as to whether he can be entrusted with work at Dimitrovgrad. In case of a negative opinion the applicant is not notified of the decision. When he comes again and asks for a job he is told that there is no work available for him. This is an obvious lie since others are at the same time hired for the same work.

- "About 60 per cent of the workers employed at present at Dimitrovgrad are technicians and skilled workers who have been assigned for that work and sent by their local authorities. They are there for a certain period of time. Their life is very difficult as a rule since their families have to stay in their permanent place of residence and their pay is not high enough to cover the expenses of upkeeping two households. The result is that both they and their families are starving and struggling desperately for existence. So when the term for which they have been assigned to Dimitrovgrad finally runs out, they ask the authorities to be allowed to go back home. As a rule they meet with a refusal. There have been a few cases when a worker has gone home in spite of the refusal. At once a wire follows him to his local authorities stating that he had left his place of employment without permission and therefore cannot be granted a permit to work anywhere else. So after a time when such an escapee has been unsuccessful in finding new work, he returns to Dimitrovgrad and waits for the moment when he will not be needed there any more.
- 17. "These workers get their monthly pay on the 7-8th of the following month. They send home a half or even more. For a few days they live decently. Then about the 15th of the month, many do not even have enough money to buy bread. So on the 18th some of them get 2-3,000 lew in advance. Many of them, suffering a desperate longing for their homes, wives and children, resort to drinking. Drinking, which used to be rather an exceptional occurrence in Bulgaria, has become nowadays a common habit.

Housing

"About 180 housing blocks have already been built for employees and workers of the Dimitrovgrad plants. These are three-story houses about \$5-50 m. iong and 20-25 m. wide with three entrances from one side and two from the other. They are to mouse 12 families. A family is assigned a little apartment of one room and a kitchen. At present two lodgers are moreover assigned to such a family to be housed in the kitchen. Only permanent workers can live in these houses. Those who are assigned for a limited period are housed in the barracks built earlier for labor brigades, or in attics over the plant. Barracks are equipped with two rows and two levels of boards with straw mattresses. One blanket is allocated for 2 persons. More or lass the same accomodation exists in attics. There is no bath of any kind. The only way to wash is to go under a tap of water usually about 25 metres from the barracks. Toilets are also located in such spots. There is no place to heat even a not of water.

19. "Workers mostly eat in the canteens but some of them also live on dry food. Engineers, technicians and administrative personnel have their own canteens, where entrance is permitted only on special passes issued by the plant administration office. A dinner there costs 150-180 lew. The same dinner with beer and a small extra cost 250-300 lew. The pay of a chief engineer at ATZ Stalin amounts to 26,000 lew per month. Other engineers and technicians get 18-22,000.

20. "In workers' canteens breakfast, lunch and dinner cost 1,800 lew for 15 days. They are composed of the following courses:

Breakfast

tea and marmalade or jam

Lunch

soup (hot water with a few grains of rice) a mest course (80-100 grams) fruit compote made of bad dried apples

Supper

beans with oil and jam, cometimes mecaroni

Bread can be obtained on coupons. The black bread is very bad. The average allocation for a worker is 600 grams per day: for heavy workers - 860 grams. 800 gr of bread on coupons costs 30 lew, without coupons 80 lew. White bread is only for Russians. It can be purchased with great difficulty without coupons for 150 lew. In order to be served in a worker's canteen one criginally had to wait on the average

RECURITY INFORMAL

Approved For Releasec 2002/07/24 . CIA-RDP80-00926A004400030005-SECURITY INFORMATION

25X

about 50 minutes. In June the number of the canteens was greatly increased. At present a worker can be served in about 15 minutes.

- Health

 21. "Both plants (Stalin and Maritza) employ at present about 5,000 workers. There is no hospital of any kind for them. There are only two doctors. In the village of Dimitrovgrad, the population of which is now about 20,000, there is a small hospital 2 doctors and 3 nurses. This hospital also takes care of emergency cases among the workers of the plant. The distance between the plant and the village is about 2.5 kms. There is also a pharmacy in the village. There is not one at the plant. No medicines, except the most simple ones, are available.
- 22. "A worker can be excused from work only by a doctor and only when he is running a very high fever. For being absent from work without a doctor's certificate one is punished by a fine of 1,000 to 2,000 lew. For a few cares of unexcused absence a worker is accused of sabotage, called 'fascist' and punished in a penal way.
- 23. "Gravely sick workers are sent to the district hospital at Haskovo (18 kms). Only local doctors can decide whether a worker should be sent to the hospital. As a rule there is no place in the Haskovo hospital. It often happens that a worker wounded at the plant dies during his transportation to the hospital. Radi Dimov, a young sportsman and a good worker, died in such a way after a fatal accident at the plant.

Security

"Both Stalin and Maritza 3 have their own uniformed militia, independent of the one which is in the village of Dimitrovgrad. The plant militia numbers at least 200 people. These militia men check passes when workers enter the plants and search the workers when they leave. The bulk of the militia men are recruited among the illiterate gypsies. They guard the plant. This summer civil guards, recruited from Communist workers, were added to help the militia. In spite of these precautions, sabotage acts are almost a daily occurrence in the plants. In most cases they consist of a break in the flow of the electric current. Then Trudowak (soldiers of labor brigades) are blamed, since it is known that they are an army of the enemies of the state. Many times on walls or in form of leaflets workers can read such slogans as 'Death to Chervenkov', 'Down with slavery' etc.

25.			
5X1X			

- end-

SECURITY INFORMATION

25X1

2

SECRET